

## Bryoflora of Munsyari and Dharchula Tehsil of Pithoragarh, Uttarakhand, Western Himalayas, India

Afroz Alam<sup>1</sup>, Vinay Sharma<sup>1</sup>, S. C. Sharma<sup>1</sup> and Abhishek Tripathi<sup>2</sup>

<sup>1</sup>Department of Bioscience and Biotechnology, Banasthali University, Tonk- 304 022  
(Rajasthan), India

<sup>2</sup>SDM, Dharchula, Government of Uttarakhand

**Abstract:** Uttarakhand state of India comprises unique topographical conditions and hence is rich in bryophytes. In present work two Tehsils-Munsyari and Dharchula of Pithoragarh have been explored extensively to assess the bryophytic wealth of this district. A preliminary checklist has been prepared which revealed the occurrence of 51 taxa of bryophytes from this district.

**Keywords:** Bryophyta, Western Himalayas, Uttarakhand, Pithoragarh

### Introduction

Uttarakhand state of India is naturally landscaped with high Himalayan mountains, snow capped peaks, passes, valleys, alpine meadows, forests, waterfalls, perennial rivers, glaciers and springs. Pithoragarh district is the easternmost Himalayan district in this state. This area is ecologically very rich with diversified flora and fauna. Pithoragarh town, which is located in Soar valley is also its headquarter. The district is the part of Kumaon region of Uttarakhand state and which is also one of its administrative division (Plate 1).

### Topography

The geographical area of the district is 7,100 km<sup>2</sup> (2,700 sq mi). Pithoragarh is located at a height of 1645 metres above sea level. Pithoragarh District lies between 29 degree 4 minutes to 30 degree 3 minutes' north latitude and 80 degree to 81 degree east longitude. Pithoragarh District is located along the eastern and southern part of the central Himalayas with Indo-Tibetan watershed divide in the north and Kali River forming a continuous border with Nepal in the east. The district is administratively divided into five tehsils, namely Munsiyari, Dharchula, Didihat, Gangolihat, and Pithoragarh. Pithoragarh District is surrounded by boundaries of Almora District, Champawat District, Bageshwar District and Chamoli District and extends over an area of around 7,217 sq kms. The northern hilly zone is covered with dense forests, particularly on northern slopes, with an elevation of about 14,000 feet.

### **Climate**

Pithoragarh town, being in the valley, is relatively warm during summer and cool during winters. During the coldest months of December - January, the tropical and temperate mountain ridges and high locations receive snowfall and has an average monthly temperature ranging between 5.5 °C and 8 °C. Pithoragarh district have great variation in temperature due to much altitude gradient. The temperature starts intensifying from mid March until mid June. The areas situated above 3,500 m remain in a permanent snow cover. Regions lying between 3,000 to 3,500 m become snow bound for four to six months. There are extreme points present at the different places like the river gorges at Dharchula, Jhulaghat, Ghat and Sera, where sometimes temperatures rise up to 40 °C. The annual average rainfall is 36.7 cm. After June the district receives Monsoon showers.

### **Flora**

Flora includes many unique sub-tropical, temperate and alpine plants. The flora of the district includes many Bryophytes, Pteridophytes, Gymnosperms and Angiosperms. Rare varieties of Orchids are also present in the high altitude(Champion and Seth, 1968). The prominent forest plants are *Myrica esculenta*, *Saussurea obvallata*, *Zanthoxylum armatum*, *Berberis aristata*, *Saussurea simpsonia*, *Rhododendron campanulatum*, *Rubus rotundifolius*, *Rhododendron barbatum*, *Cypripedium cordigerum*, *Dendrobium normale*, *Vanda cristata*, *Prunus puddum*, *Prunus cornuta*, *Pedicularis punctata*, *Quercus spp.*, *Cedrus deodara*, *Taxus wallichiana*, *Abies pindrow*, *Aconitum heterophyllum*, *Betula utilis*, *Nardostachys grandiflora* and *Picrorhiza kurroa* etc.

As evident from the highly diversified geographical, climatic and floristic conditions this district of Uttarakhand state is rich in bryodiversity. However, the area is still underexplored and only few records of bryodiversity from here are available in bits and pieces (Kashyap and Chopra, 1932; Vohra, 1970; Asthana and Srivastava, 1991; Nath and Asthana, 1992; Parihar et al., 1994; Srivastava, 1998; Asthana and Nath, 2002; Nath et al., 2002; Lal, 2005; Saxena and Gangwar, 2005; Saxena et al., 2006; Aziz and Vohra, 2008; Nath et al., 2008; Saxena and Arfeen, 2009; Singh et al., 2010; Saxena et al., 2007; 2010) To fill this lacuna an attempt has been made and in present work only two Tehsil-Munsyari and Dharchula have been explored extensively in the month of June, 2012. Many plant specimens both terrestrial as well as corticolous bryophytes have been collected from both the localities.

### **Materials and Methods**

This study is initially based on recent collection trip to Pithoragarh which was made during the month of 23<sup>rd</sup> -29<sup>th</sup> June, 2012 by the authors (Afroz Alam & party). The authors collected several epiphytic and terrestrial populations of liverwort, hornwort and mosses. Simple methodology was adapted to collect specimens in the field. A simple knife was used to peel off specimens from tree barks, moist ground floor and other substratum. The collected materials were dried at room temperature on blotting paper and placed carefully in simple brown paper envelopes. All the essential field data were noted down including locality, date of collection, altitude etc. Various relevant literatures were consulted for identification work. The collected bryophytes were identified carefully and deposited to Banasthali Vidyapith Herbarium(BVH), Banasthali University, Rajasthan.

**List of taxa:****CLASS: MARCHANTIOPSIDA Cronquist, Takht. & W. Zimm.****I. Order Marchantiales Limpr. In Cohn****1. Ricciaceae Rchb.****i. Riccia L.***Riccia billardieri* Mont. & Nees ex Gottsche, Lindenb. & Nees

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Dharchula; alt.ca. 900m; 786112 (BVH).

*Riccia fluitans* L.; Munsyari; alt.ca. 2100m; 786202 (BVH).**2. Aytoniaceae Cavers****ii. Asterella P. Beauv***Asterella blumeana* (Nees) Pandé, K.P. Srivast. & Sultan Khan

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786216 (BVH).

*Asterella khasiana* (Griff.) Grolle

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786236 (BVH).

**iii. Plagiochasma Lehm. & Lindenb.***Plagiochasma appendiculatum* Lehm. Et Lindenb.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786271(BVH); Dharchula; alt. ca. 800m; 786154 (BVH).

*Plagiochasma pterospermum*

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786243 (BVH).

*Plagiochasma rupestre*

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Dharchula; alt.ca. 900m; 786145 (BVH).

**iv. Reboulia Raddi***Reboulia hemisphaerica* (L.) Radii

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786197(BVH).

**3. Marchantiaceae Lindl.****v. Marchantia L.***Marchantia palmata* Nees

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786186 (BVH); Dharchula; alt. ca. 800m; 786142 (BVH).

*Marchantia paleacea* Bert.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786204 (BVH); Dharchula; alt. ca. 800m; 786177 (BVH).

*Marchantia polymorpha* L.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786235-47(BVH).

**5. Dumortieraceae D. G. Long****vi. Dumortiera Nees***Dumortiera hirsuta* (Sw.) Nees

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786253 (BVH).

**7. Lunulariaceae H. Klinggr.,****vii. Lunularia Adans.***Lunularia cruciata* (L.) dum.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786266 (BVH).

**8. Conocephalaceae Müll. Frib. ex Grolle**

**viii. *Conocephalum* Hill nom. cons.**

*Conocephalum conicum* (L.) Underw.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786193 (BVH).

**9. Targioniaceae Dumort.**

**ix. *Targionia* L.**

*Targionia hypophylla* L.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786247 (BVH); Dharchula; alt. ca. 800m; 786155 (BVH).

**10. Cyathodiaceae Stotler & Crand.-Stotl. in A. J. Shaw & B. Goffinet**

**x. *Cyathodium* Kunze**

*Cyathodium cavernarum* Kunze

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Dharchula; alt.ca. 900m; 786133 (BVH).

**CLASS: JUNGERMANNIOPSIDA Stotler & Crand.-Stotl.**

**II. Order Jungermanniales**

**11. Lejeuneaceae Cavers**

**xi. *Lopholejeunea* (Spruce) Schiffn. nom. cons.**

*Lopholejeunea sikkimensis* Steph.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786276 (BVH).

**12. Jubulaceae H. Klinggr.**

**xii. *Frullania* Raddi**

*Frullania ericoides* (Nees ex Mart.) Mont.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786288 (BVH).

*Frullania arecae* (Spreng.) Gottsche

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786294 (BVH).

**13. Jungermanniaceae Rchb.**

**xiii. *Jungermannia* L.**

*Jungermannia appressifolia* Mitt.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786265 (BVH).

*Jungermannia truncata* Nees

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786272 (BVH).

**xiv. *Solenostoma* Mitt.**

*Solenostoma tetragonum* (Lindenb.) R.M. Schust. ex Váňa & D.G. Long

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786277-79 (BVH).

**xv. *Leiocolea* (Müll. Frib.) H. Buch**

*Leiocolea alpestris* (Schleich.) Isov..

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786293 (BVH).

**14. Porellaceae Cavers**

**xvi. *Porella* L.**

*Porella chinensis* (Steph.) Hatt.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786298-302(BVH).

### **III. Order Metzgeriales Chalaud**

#### **15. Fossombroniaceae Hazsl.**

##### **xvii. *Fossombronia***

*Fossombronia himalayensis* Kash.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786199 (BVH).

#### **16. Metzgeriaceae H. Klinggr.**

##### **xviii. *Metzgeria Raddi***

*Metzgeria himalayensis* Kash.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786298 (BVH).

#### **18. Pelliaceae H. Klinggr.**

##### **xix. *Pellia Raddi***

*Pellia epiphylla* (L.) Corda

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786279 (BVH).

#### **19. Aneuraceae H. Klinggr.**

##### **xx. *Riccardia Gray***

*Riccardia levieri* Schiffn.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786277 (BVH).

## **ANTHOCEROTOPSIDA Jancz. ex Stotl. & Crand.-Stotl.,**

### **I. Order Anthocerotales**

#### **1. Anthocerotaceae Dumort.,**

##### **i. *Anthoceros L.***

*Anthoceros crispulus* (Mont.) Douin

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786222 (BVH); Dharchula; alt. ca. 800m; 786198 (BVH).

##### **ii. *Phaeoceros Prosk.***

*Phaeoceros himalayensis* Prosk.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786239 (BVH).

## **PHYLUM (DIVISION) BRYOPHYTA**

### **1. ORDER: HYPNALES**

#### **1. Meteoriaceae Kindb.**

##### **i. *Aerobryopsis M. Fleisch.***

*Aerobryopsis longissima* (Doz. et Molk.) Fleisch.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786277-82(BVH); Dharchula; alt. ca. 800m; 786185 (BVH).

##### **ii. *Floribundaria M. Fleisch.***

*Floribundaria floribunda* (Doz. et Molk.) Fleisch.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Dharchula; alt. ca. 800m; 786257 (BVH).

##### **iii. *Ambystegiaceae G. Roth.***

*Amblystegium Schimp.*

*Amblystegium serpens* (Hedw.) B. S. G.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786261 .(BVH); Dharchula; alt. ca. 800m; 786189 (BVH).

**2. Anomodontaceae Kindb.**

**iv. *Anomodon* Hook. & Taylor**

*Anomodon planatus* Mitt.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786272 (BVH); Dharchula; alt. ca. 800m; 786200 (BVH).

**3. Brachytheciaceae G. Roth.**

**v. *Brachythecium* Schimp.,**

*Brachythecium campestre* (C. Muell.) B. S. G.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786232-45(BVH); Dharchula; alt. ca. 800m; 786192-95 (BVH).

**4. *Trachypodaceae***

**vi. *Diaphanodon* Renaud & Cardot**

*Diaphanodon blandus* (Harv.) Ren. et Card.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786244-48 (BVH); Dharchula; alt. ca. 800m; 786176 (BVH).

**5. Entodontaceae Kindb.**

**vii. *Entodon* Müll. Hal.**

*Entodon subplicatus* Ren. et Card.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786273-75(BVH).

*Entodon luteonitens* Ren. et Card.

**6. Leucodontaceae Schimp.**

**viii. *Leucodon*Schägr.**

*Leucodon secundus* (Harv. in Hook.) Mitt.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786284-89 (BVH).

**II. ORDER:DICRANALES**

**7. Orthotrichaceae Arn.**

**ix. *Amphidium* Schimp**

*Amphidium lapponicum* (Hedw.) Schimp.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786249-52 (BVH).

**8. Dicranaceae Schimp.**

**x. *Campylopus* Brid.,**

*Campylopus gracilis* (Mitt.) Jaeg.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786132 (BVH); Dharchula; alt. ca. 800m; 786145 (BVH).

**9. FissidentaceaeSchimp.**

**xi. *Fissidens* Hedw.**

*Fissidens bryoides* Hedw.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786241 (BVH); Dharchula; alt. ca. 800m; 786129 (BVH).

*Fissidens taxifolius* Hedw.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786279-83 (BVH); Dharchula; alt. ca. 800m; 786124-26 (BVH).

**III. ORDER: POTTIAES**

**10. Pottiaceae Schimp.**

**xii.*Anoectangium* Schwägr.**

*Anoectangium clarum* Mitt.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786233-39 (BVH); Dharchula; alt. ca. 800m; 786121-25(BVH).

**xiii. *Barbula* Hedw.**

*Barbula finalis* Dix. et Badhw.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786255-57.(BVH).

*Barbula obscura* Mitt.

**xiv. *Hyophila* Brid.**

*Hyophila involuta* (Hook.) Jaeg.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786288-89 (BVH).

**IV. ORDER:BRYALES**

**11. Bartramiaceae Schwägr.**

**xv. *Bartramia* Hedw**

*Bartramia subulata* B. S. G.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786259 (BVH)

**12. Bryaceae Schwägr.**

**xvi. *Brachymenium* Schwägr.**

*Brachymenium bryoides* Hook. ex Schwaegr.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786277-78 (BVH); Dharchula; alt. ca. 800m; 786185 .(BVH).

**xvii. *Bryum* Hedw.**

*Bryum alpinum* Huds. ex With.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786261 (BVH).

*Bryum argenteum* Hedw.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786258-59 (BVH); Dharchula; alt. ca. 800m; 786177 (BVH).

**xviii. *Rhodobryum* (Schimp.) Limpr.**

*Rhodobryum giganteum* (Schwaegr.) Par.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786263-64 (BVH).

**xix. *Pohlia* Hedw.**

*Pohlia flexuosa* Hook.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786279-80 (BVH); Dharchula; alt. ca. 800m; 786219 (BVH).

**13. Mniateae Schwägr.**

**xx. *Mnium* Hedw.**

*Mnium rostratum* Schrad.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786278-79 (BVH).

**V. ORDER: POLYTRICHIALES**

**14. Polytichaceae Schwägr**

**xxi. *Pogonatum* P. Beauv**

*Pogonatum aloides* (Hedw.) P. Beauv.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786273 (BVH); Dharchula; alt. ca. 800m; 786152 (BVH).

**xxii. *Atrichum* Card.**

*Atrichum undulatum* (Hedw.) P. Beauv

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786284 (BVH); Dharchula; alt. ca. 800m; 786179 (BVH).

#### **VI. ORDER: ENCALYPTALES**

##### **15. Encalyptaceae Schimp.**

###### **xxiii. *Encalypta* Hedw.**

*Encalypta vulgaris* Hedw.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786288 (BVH).

#### **VII. ORDER: FUNARILES**

##### **16. Funariaceae Schwägr.**

###### **xxiv. *Funaria* Hedw.**

*Funaria hygrometrica* Hedw.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786244-52 (BVH); Dharchula; alt. ca. 800m; 786135 (BVH).

###### **xxv. *Physcomitrium* (Brid.) Brid.,**

*Physcomitrium cyathicarpum* Mitt.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Dharchula; alt. ca. 800m; 786267 (BVH).

#### **VII. ORDER: GRIMMIALES**

##### **17. Grimmiaceae Arn.**

###### **xxvi. *Grimmia* Hedw.**

*Grimmia ovalis* (Hedw.) Lindb.

Specimen examined: Western Himalayas: Uttarakhand-Pithoragarh: Munsyari; alt.ca. 2100m; 786276 (BVH).

#### **Result and Discussion**

The present study of Munsyari and Dharchula tehsils of Pithoragarh reveled the occurrence of 16 species of Marchantiopsida, 12 species of Jungermanniopsida, 2 species of Anthocerotopsida and 31species of phylum Bryophyta belonging to overall 47 genera; 37 families; 11 orders and 4 classes. It proofs the potential of this region of Himalayas in terms of bryodiversity. However this work is a preliminary effort to assess the bryofloristic wealth of the region and many more explorations wre needed to these lesser known remote areas of this district in future to compile the bryo-diversity.

#### **Acknowledgements**

The authors are grateful to Prof. Aditya Shastri, Vice Chancellor, Banasthali University, Rajasthan for his encouragement and support. One of the authors (AT) also thankful to Government of Uttarakhand State, India.

#### **References**

- ASTHANA, A. K. AND S. C. SRIVASTAVA (1991). Indian Hornworts. A Taxonomic Study. J. Cramer: *Bryophytorum Bibliotheca* 42. pp.230.
- AZIZ, M. N. AND VOHRA, J. N. (2008). Pottiaceae (Musci) of India; Bishen Singh & Mahendra Pal Singh, Dehra Dun, India.

CHAMPION, H.G. AND SETH, A.K. (1968) A revised survey of the forest types of India. Manager of Publications, Govt. of India, New Delhi.

KASHYAP, S.R. AND CHOPRA, R.S. (1932): Liverworts of the Western Himalayas and the Panjab Plain II. The University of the Panjab, Lahore.

LAL J. (2005) . A checklist of Indian mosses. Dehra Dun: Bishen Singh Mahendra Pal Singh.

NATH V, ASTHANA, A. K. AND SAHU, V. (2008). Addition of three moss species to West Himalayan Bryoflora. *Cryptogamie bryologie* vol. 29 (4): 387-392.

NATH, V. AND ASTHANA, A.K. (1992). Addition to the Bryoflora of Western Himalaya: *Frullania neurota* Taylor. *Geophytology*, Vol. 21, 139-142.

PARIHAR, N.S, LAL, B. AND KATIYAR, N. (1994). Hepaticae and Anthocerotae of India. A new annotated checklist. Central book depot. Allahabad

SAXENA, D. AND ARFEEN, M. S. (2009). Taxonomy and distribution status of moss *Racomitrium crispulum* in Kumaon hill of Western Himalaya (India)", *Iranian Journal of Botany*. Vol. 15 (2): 248-256.

SAXENA, D. AND GANGWAR, R. (2005). Taxonomical study of *Dicranum scoparium* Hedw. From Kumaon hills. *Geophytology*: 35 (1& 2). 61-64.

SAXENA, D., SINGH, S. AND SRIVASTAVA, K. (2006). Distribution of Some Mosses in Nainital, Almora and Pithoragarh District of Kumaon Region, India." *Environmental Conservation Journal*, 2006, Vol. 7: (1-2), 83-87.

SAXENA, D., SINGH, S. AND SRIVASTAVA, K. (2007). Taxonomy of moss *Isopterygium elegans* (Brid.) Lindb., Not Salsk. F. Fl Fenn. Forh., 1874 from Kumaon hills". Research Journal (Sci.) ,Panjab University Res Journ., (Sci) Vil 57, 213-216

SAXENA, D., SONYIA AND SUARABH. (2010). First report of the moss *Rhynchostegiella divaricatifolia* (Renauld & Cardot)Broth. from Western Himalayan region of India , *Phytotaxa*, U.K. , 8: 59–64.

SINGH, H., SAHU, V. HUSAIN, T. AND ASTHANA A.K. (2010). *Macromitrium rigbyanum* Dixon. In: Bryological Notes: New national and regional bryophyte records, 24. Journal of Bryology 32: 232–241.

SRIVASTAVA, S.C. (1998). Distribution of Hepaticae and Anthocerotae in India. CHOPRA, R.N. (ed.) Topics in Bryology., Allied Publishers Ltd, pp. 53 – 85

VIRENDRA NATH, SHALINI SHARMA AND A.K. ASTHANA (2002). *Anastrophyllum jorgensenii* Schiffn. from western Himalayas. *Geophytology*, Vol. 30, (1& 2): 111-112.

VOHRA JN. (1970). A contribution to the moss flora of Western Himalaya. II. Bulletin of the Botanical Survey of India. 12: 97–103.



Plate 1: Location of Munsyari and Dharchula and a bird eye view of Dharchula



Plate 2: Figs. 1-2: Scenic beauty of Munsyari, Fig. 3: Growth of bryophytes near water source, Fig. 4: Moss population as corticolous form, Fig. 5: Terrestrial growth of *Marchantia*, Fig. 6. Mixed population of thalloid forms and mosses, Fig. 7. Growth of *Dumontiera* near dripping water, Fig. 8. Moss population at the base of tree trunk.

Online Aug. 18, 2012